


# BARKHAUSEN NOISE ANALYSIS

Non-destructive (NDT) measurement solutions  
for grinding burn and heat treat defect testing



 stresstech  
*Measure for success*

# Barkhausen Noise Analysis

Optimize your manufacturing process and deliver the highest quality components by using Barkhausen noise analysis for detection of grinding burn damage and heat treatment defects.

## Analysis

Barkhausen noise analysis is a non-destructive method involving the measurement of a noise like signal induced in a ferromagnetic material by an applied magnetic field.

There are two main material characteristics that will directly affect the intensity of the Barkhausen noise signal:



- ✓ The microstructure of the sample – this effect can be broadly described in terms of hardness: the noise intensity continuously decreases in microstructures characterized by increasing hardness.
- ✓ Presence and distribution of elastic stresses – compressive stresses will decrease the intensity of Barkhausen noise while tensile stresses increase the intensity.


## Measurement principle

Barkhausen noise analysis requires the use of a Barkhausen noise signal analyzer (Rollscan) and sensor. Additional data collection software can be utilized for data tracking and exporting, surface mapping, and automated measurement evaluation.

Performing Barkhausen noise measurements is a simple process:

1. Measurement area is magnetized with alternating magnetic field by the sensor
2. During magnetization the sensor measures the Barkhausen noise signal and transfers it to Rollscan
3. Real-time measured values are displayed on Rollscan and/or the ViewScan software





Camshafts




Crankshafts



Gears



Landing gears



Bearings



Grooves and holes



## Applications

Many manufacturing processes involve some modification of stress and/or microstructure that can be readily analyzed with Barkhausen noise.

Examples include:

- ✓ Machining – grinding, turning, milling
- ✓ Cold working – shot peening, laser peening, autofrettage
- ✓ Surface hardening – carburizing, nitriding, induction hardening

Various dynamic processes such as creep and fatigue similarly involve changes in stress and microstructure and can also be monitored with Barkhausen noise.



# Barkhausen Noise Analysis System

Main features of Barkhausen noise measurement system are:

- ✓ Rollscan signal analyzer
- ✓ Barkhausen noise sensor(s)
- ✓ ViewScan or MicroScan software for data acquisition and analysis
- ✓ Component handling system for camshafts, crankshafts, gears or other parts


## Inline systems

Inline systems can be integrated into the production line to ensure immediate reaction to process changes. Production data is collected automatically and can be analyzed and used for process optimization.





## Automated systems


Automated systems for quality inspection are tailored for offline use. Easy to use software make inspections intuitive and systems can adapt to various component types.



## Semi-automated and manual systems

Semi-automated and manual Barkhausen noise analysis systems are suitable for low volume measurements. The most simple Barkhausen noise measurements can be performed handheld with only a sensor and analyzer.





## Rollscan signal analyzers



**Rollscan 350** with graphical display  
for manual and automatic systems



**Rollscan 320** for automatic and  
semi-automatic multi-channel systems



**Rollscan 250** for manual and  
automatic two-channel systems

## Barkhausen noise sensors

customized for your parts

- ✓ Camshafts
- ✓ Crankshafts
- ✓ Gears
- ✓ Bearings
- ✓ Grooves and holes
- ✓ Various ID, OD and flat surfaces





## Measurement Services

Stresstech offers measurement services in any of our ISO/IEC 17025 accredited laboratories, or on-site for customer convenience.

Measurement services are ideal for:

- ✓ jump-starting your testing needs,
- ✓ required data validation,
- ✓ supporting your current laboratory.

Comprehensive data is delivered in an easy to understand report.

**For more information on measurement services, or to schedule a consultation, please visit [www.stresstech.com/services](http://www.stresstech.com/services)**

## About Stresstech

Stresstech is headquartered in Finland and has offices in Germany, the United States, and India, as well as sales and service representatives around the world. For more than 30 years, Stresstech has been providing non-destructive and destructive testing solutions for process control and quality inspection. The inspection equipment and turn-key solutions serve the automotive, aerospace and other manufacturing industries as well as universities and research institutes.

**To learn more about all of Stresstech's testing methods: X-ray Diffraction, Barkhausen Noise Analysis, and ESPI Hole Drilling, please visit [www.stresstech.com](http://www.stresstech.com).**



**Stresstech Oy**  
Tikkutehtaantie 1  
FI-40800 Vaajakoski, Finland  
+358 14 333 000  
info@stresstech.com  
www.stresstech.com

**Stresstech GmbH**  
Konnwiese 18  
D-56477 Rennerod, Germany  
+49 2664 99731-0  
info@stresstech.de  
www.stresstech.de

**Stresstech USA**  
540 Alpha Drive  
Pittsburgh, PA 15238-2912, USA  
+1 412 784 8400  
info@astresstech.com  
www.stresstech.com

**Stresstech Bharat Pvt. Ltd**  
Office No. 1309, Plot. no A-1, Sector - 1,  
Rupa Solitaire bldg, MBP Mahape,  
Navi Mumbai 400 710, India  
Tel: +91 222 778 2011  
info@stresstechbharat.in  
www.stresstechbharat.in